



**RAPID RESPONSE SOLUTIONS** 









FALKSKIN SURFACES ARE CLEANABLE WITH INDUSTRIAL-GRADE DISINFECTANTS


































MILLWORK +
CLADDING ARE
HERMETICALLY
SEALED IN FALKSKIN





SINK IS ADA COMPLIANT


## EASY TECHNOLOGY INTEGRATION


















### WALL CAN GO DECK TO DECK AND ACCOMODATE UTILITIES












CEILING OPTIONS INCLUDE CANTILEVER + BARRISOL

















Robust cladding clips on the Super Studs, adding structural integrity to the wall. There is no need to add backing for millwork, plumbing or utilities.

Digital horizontals snap into the system and carry structural integrity throughout the framing.





Just like conventional construction, it all starts with a chalk line and ceiling and floor tracks.



#### **ADJUSTMENT BUILT IN**

Super Studs arrive on a skid, the same way standard steel studs do, but our studs are precision cut for the ceiling height and can be used anywhere on the floor. Every Super Stud that arrives onsite is identical, with a 3-inch adjustment at the bottom to cover off the inevitable undulations in the floor of the base building.

#### **ACOUSTICALLY-SOUND**

Super Studs are based on the old split stud and include acoustic resonators. The floor and ceiling tracks also come equipped with acoustic resonators that prevent sound from traveling.

#### FALKBUILT SOLID WALL

STC 47: Standard solid wall with insulation (ASTM E90)

**STC 41:** Standard solid wall without insulation (ASTM E90)



PRE-MOUNTED
ELECTRICAL MAKES
INSTALLATION A BREEZE.

# FALKBUILT FACTORY DIRECT BRANCHES



If conventional construction can do it, so can Falkbuilt. If conventional construction can't do it, Falkbuilt probably still can.

Call your local Branch and find out what we can create together.

